



# WIN WITH UNO MINDA

Leading Indian Auto Component Manufacturer  
Trusted by OEMs across the globe



2W BATTERY CATALOGUE, 2026

# UNO MINDA

## BATTERY DIVISION

### OVERVIEW

- Manufacturing Plant since April 2007.  
Located in Rudrapur, Uttarakhand
- 275+ Distributors for 2W
- Plant Area 9,000 sq. meters
- Investment 170 Cr.
- Imported Machines from Japan, Korea, Taiwan & China
- Manufacturing capacity 35 Lacs 2W batteries annually and 18 Lacs 4W batteries annually.
- ISO 27001:2022 Certified



### FEATURES


- High Purity Lead (99.99%) for low Self Discharge Characteristics
- Strip Casting & Expander Technology for Plate Manufacturing
- Robust & Low Corrosive Grid Alloy
- AGM Separator facilitating spill proof & Vibration resistant functioning



# CERTIFICATIONS



# PRODUCT RANGES



**TWO WHEELER  
BATTERIES**



# 2 WHEELER BRANDS



ULTIMO



ULTIMO PRO

Non Corrosive  
Grid Alloy

Special Design  
AGM separator for  
high power

Robust Active  
Material design

## BATTERY FEATURES

- Less corrosive grid alloy to ensure low grid corrosion and thereby increase battery life.
- Special Active material to withstand vibration, prolong battery life, dependability and charge retention
- AGM separator for maintenance free operation, makes the battery spill proof & eliminates water loss/vibration.
- Resistant & low internal resistance attributing to fast recharging and high performance. Highly pure electrolyte to ensure low self-discharge rate.
- Brass fasteners to avoid rusting during re-fitment of batteries.
- Safety valves & flame arrestors to release excess pressure & avoid explosive reaction inside the battery.

# ULTIMO

UNO MINDA BATTERY TYPE	WARRANTY IN MONTHS (FLAT+PRORATA)	NOMINAL VOLTAGE (V)	BATTERY OVERALL DIMENSIONS (MM)			RATED CAPACITY C10 (AH)	BATTERY LAYOUT
			LENGTH	WIDTH	HEIGHT		
12MUX-2.5L	24+24	12	80	70	105	2.5	L
12MUXA-4L	24+24	12	113	70	85	3.0	L
12MUXA-4A	24+24	12	113	70	85	4.0	L
12MUXA-5L	24+24	12	113	70	105	4.0	L
12MUX-5L	24+24	12	120	60	130	5.0	L
12MUX-7R	24+24	12	150	60	130	7.0	R
12MUXA-9R	24+24	12	150	87	105	8.0	R
12MUX-9R	24+24	12	135	75	139	9.0	R

# 2 WHEELER BRANDS



**12MEPA-5L**

Non Corrosive  
Grid Alloy

Special Design  
AGM separator for  
high power

**12MEPA-4L**

Robust Active  
Material design

## BATTERY FEATURES


- Less corrosive grid alloy to ensure low grid corrosion and thereby increase battery life.
- Special Active material to withstand vibration, prolong battery life, dependability and charge retention
- AGM separator for maintenance free operation, makes the battery spill proof & eliminates water loss/vibration.
- Resistant & low internal resistance attributing to fast recharging and high performance. Highly pure electrolyte to ensure low self-discharge rate.
- Brass fasteners to avoid rusting during re-fitment of batteries.
- Safety valves & flame arrestors to release excess pressure & avoid explosive reaction inside the battery.

# ENERGIE PLUS

UNO MINDA BATTERY TYPE	WARRANTY IN MONTHS (FLAT+PRORATA)	NOMINAL VOLTAGE (V)	BATTERY OVERALL DIMENSIONS (MM)			RATED CAPACITY C10 (AH)	BATTERY LAYOUT
			LENGTH	WIDTH	HEIGHT		
12MEP-2.5L	18+18	12	80	70	105	2.5	L
12MEPA-4L	18+18	12	113	70	85	3.0	L
12MEPA-5L	18+18	12	113	70	105	4.0	L
12MEP-5L	18+18	12	120	60	130	5.0	L
12MEP-7R	18+18	12	150	60	130	7.0	R
12MEPA-9R	18+18	12	150	87	105	8.0	R
12MEP-9R	18+18	12	135	75	139	9.0	R



# SERVICE APP



## FEATURES

- Product Registration
- Track Your Warranty
- Warranty Claim Registration
- Warranty Claim status
- Application chart & Product warranty
- Technical Guidance Videos – Online training
- Battery Maintenance Tips
- Toll Free Call – 1800 102 7977
- Service Bulletins
- Service Feedback
- Business Partner Network
- Notification✉

# BATTERY CHARGER



- Multi-stage Charging
- Microprocessor
- Controlled Charging
- Automatic Voltage Detection
- Battery Monitoring
- Maintenance and Trickle Charging
- Temperature Compensation
- Dual Compatibility Battery Types
- High Energy Efficiency
- Wireless Connectivity and App
- Input & Output Isolation

# BATTERY TESTER

- No HRD test is required
- Wide LCD display
- Multimeter function
- Broader dimension
- Latest Bluetooth version
- Integrated keypad
- Detailed battery report with CCA
- Battery report and data sharing online via App



# DOMESTIC PRESENCE



ZONE	N	E	W	S	TOTAL
O	2	2	4	1	9

- Presence of dedicated Service team across country.
- Frequently visit at BP's / Retailer & mechanics to settle down the complaints.
- Technical support to BP / Retailer & mechanic through competitive team.
- Training to BP / Retailer & mechanics to resolve customer complaints.
- Online customer complaint handling via Toll free
- Quality feedback to plant & speedy resolution.

# NOTES



Uno Minda Limited - Parts & Services Division  
B-64/1, Wazirpur Industrial Area, Delhi, India - 110052

 [www.unomindakart.com](http://www.unomindakart.com)  +91 1800 102 7977  [mktg\\_aftermarket@unominda.com](mailto:mktg_aftermarket@unominda.com)